

## 1U ROTARY 24/48PORTS PATCH PANEL - RP24S



Browse on Mobile

 Browse on Web

NEXCONEC<sup>®</sup> ODF Rotary 1U panel is made of plastic ABS material and cold rolled steel pivotal bracket. An innovative high-density pivot panel designed to accept up to 48 SC simplex footprint adapters. The panel can pivot by up to 110° to allow easy access during installation or rework with no disturbance of the existing cable or fibers.

### FEATURES

- ✓ Holds up to 48 SC Simplex footprint adapters
- ✓ Accepts loose tube, distribution and pre-terminated cables
- ✓ Designed for 19" standard Distribution frame

### APPLICATIONS

- ✓ Telecommunications subscriber
- ✓ Fiber to the home (FTTH)
- ✓ LAN/WAN
- ✓ CATV
- ✓ Indoor Application

## SPECIFICATION

<b>Mounting Type</b>	Rack 19"
<b>Height Unit</b>	1U
<b>Material</b>	ABS Plastic body and Cold rolled steel bracket
<b>Housing Color</b>	White
<b>Application</b>	Indoor IP20
<b>Lockable</b>	No
<b>Dimensions (W x D x H in MM)</b>	482 x 280.40 x 44mm
<b>Net Weight</b>	2.00Kg

## DESIGN - HARDWARE


<b>Opening Type</b>	Right Hinge swing out
<b>Access Type</b>	Front access
<b>Front Cable Management</b>	Front manager with hinged drop down bar
<b>Cable Entry Direction</b>	Sides
<b>Slot Type</b>	SC Simplex /LC Duplex adapters footprint
<b>Number of Slots</b>	Up to 48
<b>Fiber Capacity</b>	48 in SC

## ORDER INFORMATION

Part Number	Product Description
<b>RP24S</b>	1U Rotary 24 ports SC Simplex footprint unloaded / Right
<b>RP48S</b>	1U Rotary 48 ports SC Simplex footprint unloaded / Right

*Other configurations on demand, please ask sales for details.*

**TECHNICAL DRAWINGS**



**CABLE ROUTING**

