

40G QSFP+ DAC



Browse on Mobile

 [Browse on Web](#)

Nexconec QSFP+ Direct Attach Cables are compliant with the SFF-8436 specifications. Various choices of wire gauge are available from 30 to 24 AWG with various choices of cable length (up to 7m).

FEATURES

- ✓ Up to 10.3125Gbps data rate per channel
- ✓ Operating temperature: 0~70°C
- ✓ Single 3.3V power supply
- ✓ RoHS compliant
- ✓ Compliant with SFF-8436

APPLICATIONS

- ✓ 40G Ethernet

SPECIFICATIONS

Part Number	Package	Data Rate	Length	Cable AWG
NX-XF-DG40-0.5-xx	QSFP+	40G	0.5m	30 AWG
NX-XF-DG40-01-xx	QSFP+	40G	1m	30 AWG
NX-XF-DG40-02-xx	QSFP+	40G	2m	30 AWG
NX-XF-DG40-03-xx	QSFP+	40G	3m	30 AWG
NX-XF-DG40-04-xx	QSFP+	40G	4m	26 AWG
NX-XF-DG40-05-xx	QSFP+	40G	5m	26 AWG
NX-XF-DG40-06-xx	QSFP+	40G	6m	24 AWG
NX-XF-DG40-07-xx	QSFP+	40G	7m	24 AWG

ORDER INFORMATION

Part Number	Product Description
NX-XF-DG40-0.5-xx	40G QSFP+ DAC 30 AWG 0.5m
NX-XF-DG40-01-xx	40G QSFP+ DAC 30 AWG 1m
NX-XF-DG40-02-xx	40G QSFP+ DAC 30 AWG 2m
NX-XF-DG40-03-xx	40G QSFP+ DAC 30 AWG 3m
NX-XF-DG40-04-xx	40G QSFP+ DAC 26 AWG 4m
NX-XF-DG40-05-xx	40G QSFP+ DAC 26 AWG 5m
NX-XF-DG40-06-xx	40G QSFP+ DAC 24 AWG 6m
NX-XF-DG40-07-xx	40G QSFP+ DAC 24 AWG 7m

Notes

- Where (01 = 1m, 02 = 2m, 07 = 7m etc.) denotes cable length in meters.
- Where "xx" denotes compatibility short codes. (xx = CI for Cisco, xx = DL for DELL etc.)

3. *Compatible Short codes are as follows:*

<i>Short codes</i>	<i>Value</i>		<i>Short codes</i>	<i>Value</i>
<i>CI</i>	<i>Cisco</i>		<i>HW</i>	<i>Huawei</i>
<i>ML</i>	<i>Mellanox</i>		<i>DK</i>	<i>D-Link</i>
<i>MK</i>	<i>Mikrotik</i>		<i>HC</i>	<i>H3C</i>
<i>JP</i>	<i>Juniper</i>		<i>CN</i>	<i>Ciena</i>
<i>BR</i>	<i>Brocade</i>		<i>EC</i>	<i>Edge-Core</i>
<i>DL</i>	<i>DELL</i>		<i>AL</i>	<i>Alcatel-Lucent</i>
<i>FT</i>	<i>Fortinet</i>			

